



It is with great pleasure that Bonded Logic has implemented the launch of perforated UltraTouch™ Denim Insulation. As many of us already know, the cutting differences of UltraTouch have historically been a common complaint from end users. At Bonded Logic, we are always listening to feedback from the market and strive to adjust to address concerns. The introduction of perforated UltraTouch is a direct result of responding to our customer's communication. We are very excited about the time and monetary savings that the perforated insulation brings to both the professional installer as well as the average homeowner.

Please help us spread the word and let all of your customers know that UltraTouch Denim Insulation just got a lot easier to work with. In the test projects we have conducted, we have seen major changes in installation efficiency and installers with a much improved outlook. Please see below for important information regarding the amount of perforated pieces per bag and the perforation patterns themselves.

Please don't hesitate to call us with any questions you may have and take a moment to visit the following YouTube link for a short video regarding this product launch. As always, thanks for your support of Bonded Logic and UltraTouch Denim Insulation.



Best Regards,

A handwritten signature in black ink, appearing to read 'Sean Desmond'. The signature is fluid and cursive.

Sean Desmond
Bonded Logic Inc

UltraTouch™ Denim Insulation – Perforated Pieces Per Bag

R13/16 – Minimum 3 pieces perforated per bag

R13/24 – Minimum 3 pieces perforated per bag

R19/16 – Minimum 2 pieces perforated per bag

R19/24 – Minimum 2 pieces perforated per bag

R21/16 – Minimum 2 pieces perforated per bag


R21/24 – Minimum 2 pieces perforated per bag

*Please note: R8 and R30 are not currently offered as perforated batts.


UltraTouch™ Denim Insulation – Perforation Patterns

The perforation patterns are dependent upon the width of the product. Currently, there are 3(three) patterns for 16” material and 4(four) patterns for 24” material. These patterns were determined to provide the best off-size cavity sizing options and reduce the need for any full length cuts during the installation process. There are currently not a set number of specifically patterned pieces per bag.


Please see the following pages for the exact pattern options.




Pattern 1




Pattern 2




Pattern 3




Pattern 1



Pattern 2



Pattern 3



Pattern 4